

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3938	(128/204.18,204.21,204.22,204.23,204.26,848).OCL.S.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/15 14:41
L2	1292	L1 and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/15 14:41
L3	1182	L2 and (control controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/15 14:41
L4	329	I3 and priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/15 14:42
L5	183	I4 and (control with (layer circuit set program))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/15 14:42
L6	107	I4 and (control with (layer circuit set program)) same flow	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/15 14:43
L7	152	I4 and (control with (layer circuit set program)) same (pressure flow)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/15 14:43
L8	5	I4 and (control with (layer circuit set program)) same (pressure flow) same complete	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/15 14:45

L9	5	S7 and (control with (layer circuit set program)) same (pressure flow) same complete	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/15 14:45
S1	2774	(128/204.18,204.21,204.22,204.23,204.26,848).OCL.S.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:31
S2	801	S1 and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/10 15:44
S3	734	S2 and (control controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/10 15:44
S4	2	S3 and (control near layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/10 15:27
S5	3	S3 and prioritiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/10 15:29
S6	89	S3 and trend	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/10 15:30
S7	48	S3 and (monitor same leak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 11:12
S8	2774	(128/204.18,204.21,204.22,204.23,204.26,848).OCL.S.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 11:13

S9	801	S8 and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 11:13
S10	734	S9 and (control controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 11:13
S11	48	S10 and (monitor same leak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 11:13
S12	38	S11 and ((lower reduce reduced) same pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/11 11:13
S13	22	S11 and ((lower reduce reduced) near pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/11 11:14
S14	4	S11 and ((lower reduce reduced) near pressure) same leak	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/11 11:14
S15	273	S10 and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 12:50
S16	4	S15 and (standard adj deviation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 12:48
S17	128	S15 and (apnea snore)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 13:06

S18	68	S17 and waveform	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 13:07
S19	9	S18 and skew\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 13:35
S20	84	S17 and (pressure same (limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 13:36
S21	12	S20 and (increase near pressure) and (decrease near pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 13:36
S22	38	"128"/\$.ccls. and (((leak leakage) same time same ((reduce decrease) with pressure)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 15:15
S23	3119	(128/204.18,204.21,204.22,204.23,204.26,848).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/04 15:35
S24	299	S23 and pressure and flow and monitor\$3 and controller and (apnea hypopnea)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/04 15:33
S25	401	(128/204.21,204.22,204.23,204.26).CCLS.	US-PGPUB	OR	OFF	2006/09/04 15:34
S26	16	S25 and (pressure and monitor\$3 and controller and flow and layer)	US-PGPUB	OR	OFF	2006/09/04 15:39
S27	4	(greg near matthews).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:35

S28	160	(michael near kane).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:35
S29	13	S28 and (auto near titration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/04 15:36
S30	28	(winslow near duff).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/04 15:36
S31	15	S30 and (auto near titration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/04 15:36
S32	2	(rochelle near eisert).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:34
S33	277	(daniel near martin).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:34
S34	4	S33 and (auto near titration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/04 15:37
S35	2	S25 and (pressure and monitor\$3 and controller and flow and layer).clm.	US-PGPUB	OR	OFF	2006/09/04 15:39
S36	3451	(128/204.18,204.21,204.22,204.23,204.26,848).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:32

S37	51	("5148802" "5192113" "5245995" "5259373" "5313937" "5335654" "5353739" "5458137" "5490502" "5549106" "5551418" "5632269" "5645053" "5682878" "5685296" "5704345" "5794615" "5809065" "5823187" "5845636" "5901704" "5904141" "6029664" "6029665" "6085747" "6099481" "6105575" "6138675" "6360741").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:32
S38	313	(daniel near martin).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:34
S39	3	(rochelle near elsert).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:35
S40	169	(michael near kane).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:35
S41	6	(greg near matthews).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/15 00:35
S42	2	("7168429").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/25 15:15
S43	19	"128"/\$.cds. and control same compete	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:18
S44	180	"128"/\$.cds. and control same (prioritized priority proritize)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:20

S45	69	"128"/\$.cds. and control same (prioritized priority proritize) and controller and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:25
-----	----	---	---	----	----	---------------------

4/ 15/ 09 4:15:07 PM

C:\Documents and Settings\MMendoza\My Documents\EAST\Workspaces\10-788507.wsp